



# Mount Thorley Warkworth EPL Monitoring Data

Published 24 March 2026  
FOR THE MONTH ENDING 28 February 2026

<b>Name of Operation</b>	<b>Mount Thorley Coal Loader</b>
Environment Protection Licence	24
Licensee	Mount Thorley Coal Loading Ltd
Premises	Mount Thorley Coal Loading Ltd Mount Thorley Road, Mount Thorley Via Singleton NSW 2330
EPL Link	<a href="http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=89660&amp;SYSUID=1&amp;LICID=24">http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=89660&amp;SYSUID=1&amp;LICID=24</a>
<b>Name of Operation</b>	<b>Mount Thorley Operations</b>
Environment Protection Licence	1976
Licensee	Mount Thorley Operations Pty Limited
Premises	Mount Thorley Operations Mount Thorley Road Mount Thorley NSW 2330
EPL Link	<a href="https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=295258&amp;SYSUID=1&amp;LICID=1976">https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=295258&amp;SYSUID=1&amp;LICID=1976</a>
<b>Name of Operation</b>	<b>Warkworth Coal Mine</b>
Environment Protection Licence	1376
Licensee	Warkworth Mining Ltd
Premises	Warkworth Coal Mine Putty Road Mount Thorley NSW 2330
EPL Link	<a href="https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=226613&amp;SYSUID=1&amp;LICID=1376">https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=226613&amp;SYSUID=1&amp;LICID=1376</a>

## 1 INTRODUCTION

This report provides a summary of environmental monitoring results for Mount Thorley Warkworth (MTW) in accordance with the requirements of the following Environment Protection Licences (EPL):

- EPL24 – Mount Thorley Coal Loader (MTCL);
- EPL1376 – Warkworth Mining Limited (WML); and
- EPL1976 – Mount Thorley Operations (MTO).

This report includes all monitoring data collected in accordance with the above licences for the period 1 to 28 February 2026.

Monitoring in this report includes:

- Air quality monitoring;
- Surface water monitoring including mine water discharge and effluent quality; and
- Blast monitoring.

Monitoring locations are shown in **Figure 1**.

## 2 AIR QUALITY

In accordance with the requirements of Condition M2.2 of WML EPL 1376 and MTO EPL 1976, MTW maintains a network of five PM<sub>10</sub> monitors.

Results of Particulates (PM<sub>10</sub>) monitoring are shown in **Table 1**. Results reported represent the 24hr average PM<sub>10</sub>, derived from 10 minute PM<sub>10</sub> values for the period midnight to midnight, for each calendar date during the reporting period. The last sampling date was 28 February 2026 and the data was obtained on 1 March 2026.

**TABLE 1: PARTICULATE MATTER <10µM MONITORING**

Date	Unit of Measure	Monitoring Frequency & Capture	Monitoring Point				
			Warkworth North (EPA ID # 9 - WML EPL 1376)	MTO Boundary (EPA ID # 13 - MTO EPL 1976)	Dragline Crossing (EPA ID # 10 - WML EPL 1376 & MTO EPL 1976)	Heavy Vehicle Bridge (EPA ID # 11 - WML EPL 1376 & MTO EPL 1976)	MTIE (EPA ID # 12 - WML EPL 1376 & EPA ID #19 - MTO EPL 1976)
1/02/2026	µg/m <sup>3</sup>	Continuous	86.7	68.8	66.2	73.5	73.6
2/02/2026	µg/m <sup>3</sup>		6.6	4.2	4.8	8.0	4.3
3/02/2026	µg/m <sup>3</sup>		6.8	5.1	6.3	7.4	4.9
4/02/2026	µg/m <sup>3</sup>		12.2	10.3	15.4	13.8	10.8
5/02/2026	µg/m <sup>3</sup>		13.4	11.6	28.8	18.4	14.5
6/02/2026	µg/m <sup>3</sup>		20.2	16.9	23.1	23.1	21.4
7/02/2026	µg/m <sup>3</sup>		15.1	12.5	22.7	19.7	13.5
8/02/2026	µg/m <sup>3</sup>		24.1	19.7	20.5	24.2	20.2
9/02/2026	µg/m <sup>3</sup>		22.4	20.7	32.4	23.0	20.2
10/02/2026	µg/m <sup>3</sup>		24.9	24.6	28.9	32.0	30.6
11/02/2026	µg/m <sup>3</sup>		34.7	32.8	41.5	37.7	34.5
12/02/2026	µg/m <sup>3</sup>		14.3	15.8	22.6	22.1	18.0
13/02/2026	µg/m <sup>3</sup>		7.3	5.1	5.8	7.7	4.9
14/02/2026	µg/m <sup>3</sup>		6.1	3.8	4.9	7.4	3.7
15/02/2026	µg/m <sup>3</sup>		4.8	2.9	4.5	7.6	2.7
16/02/2026	µg/m <sup>3</sup>		5.4	3.0	4.2	7.7	3.5
17/02/2026	µg/m <sup>3</sup>		10.1	3.0	9.0	6.2	3.6
18/02/2026	µg/m <sup>3</sup>		4.6	5.0	23.8	10.2	6.8
19/02/2026	µg/m <sup>3</sup>		18.3	17.1	17.1	16.8	18.3
20/02/2026	µg/m <sup>3</sup>		8.7	7.7	9.9	9.4	7.4
21/02/2026	µg/m <sup>3</sup>		7.8	8.1	19.3	8.7	7.1
22/02/2026	µg/m <sup>3</sup>		17.6	10.3	22.8	13.1	12.1
23/02/2026	µg/m <sup>3</sup>		15.1	11.0	20.3	15.5	11.2

MTW EPL Monitoring Data  
FOR THE MONTH ENDING 28 February 2026

Date	Unit of Measure	Monitoring Frequency & Capture	Monitoring Point				
			Warkworth North (EPA ID # 9 - WML EPL 1376)	MTO Boundary (EPA ID # 13 - MTO EPL 1976)	Dragline Crossing (EPA ID # 10 - WML EPL 1376 & MTO EPL 1976)	Heavy Vehicle Bridge (EPA ID # 11 - WML EPL 1376 & MTO EPL 1976)	MTIE (EPA ID # 12 - WML EPL 1376 & EPA ID #19 - MTO EPL 1976)
24/02/2026	µg/m <sup>3</sup>		19.3	17.0	19.8	19.1	17.5
25/02/2026	µg/m <sup>3</sup>		13.6	10.2	18.1	11.6	9.2
26/02/2026	µg/m <sup>3</sup>		10.3	8.9	10.7	11.6	7.8
27/02/2026	µg/m <sup>3</sup>		10.7	7.6	8.6	9.7	7.6
28/02/2026	µg/m <sup>3</sup>		6.6	5.6	6.7	7.8	4.9
Monthly Meaningful Data							
February	µg/m <sup>3</sup>	Minimum*	4.6	2.9	4.2	6.2	2.7
February	µg/m <sup>3</sup>	Mean*	16.0	13.2	18.5	16.9	14.1
February	µg/m <sup>3</sup>	Maximum*	86.7	68.8	66.2	73.5	73.6
February	µg/m <sup>3</sup>	Median*	12.8	10.3	18.7	12.3	10.0

# 24 hour data unavailable due to equipment or communications issue causing one or more missing 10 minute values

\*Data calculated with missing 10 minute value(s) due to equipment or communication issue

MTIE denotes Mount Thorley Industrial Estate

### 3 SURFACE WATER

#### 3.1 Mine Water Discharge Monitoring

MTW participates in the Hunter River Salinity Trading Scheme (HRSTS) and maintains two monitoring locations associated with this scheme.

MTW did not undertake any HRSTS discharges in the reporting period as shown in **Table 2**. As such, no samples were collected during the reporting period as shown in **Table 3**.

**TABLE 2: MINE WATER DISCHARGE MONITORING - VOLUME AND MASS LIMITS**

Monitoring Location	Unit of measure	Volume/mass Limit	No. of samples required by licence	No. of samples you collected and analysed	Lowest Sample Value	Mean of sample	Highest sample value	Median
Dam 1N Discharge / Point 1 (WML EPL 1376) Dam 1N Discharge Point	Megalitres per day	100	0	0	-	-	-	-
Dam 9S Discharge / EPL Point 4 (MTO EPL 1976) Discharge pipe from Dam 9S	Megalitres per day	100	0	0	-	-	-	-

**TABLE 3: MINE WATER DISCHARGE MONITORING- CONCENTRATION LIMITS**

Discharge Point	Pollutant	Unit of measure	Licence limits	No. of samples required by licence	No. of samples you collected and analysed	Lowest Sample Value	Mean of sample	Highest sample value	Median
Dam 1N Discharge / Point 1 (WML EPL 1376) Dam 1N Discharge Point	Electrical Conductivity	microsiemens per centimetre	-	0	0	-	-	-	-
	pH	pH	6.5 - 9.5	0	0	-	-	-	-
	Total Suspended Solids	milligrams per litre	120	0	0	-	-	-	-
Dam 1N Discharge Turbidity Monitoring / Point 25 (WML EPL 1376) Continuous turbidity monitor	Turbidity	nephelometric turbidity units	-	0	0	-	-	-	-
Dam 9S Discharge / EPL Point 4 (MTO EPL 1976) Discharge pipe from Dam 9	Electrical Conductivity	microsiemens per centimetre	-	Continuous	Continuous	-	-	-	-
	pH	pH	6.5 - 9.5	0	0	-	-	-	-
	Total Suspended Solids	milligrams per litre	120	0	0	-	-	-	-

### 3.2 Water Quality Monitoring

MTW undertakes monitoring in accordance with Condition M2.3 of WML EPL 1376 and MTO EPL 1976 as detailed in **Table 4**. Monthly sampling occurred on 4 February 2026 and the data was obtained 11 March 2026. Next quarterly sampling will occur in March 2026.

**TABLE 4: WATER QUALITY MONITORING**

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value(s)
W5 – Loders Creek / EPL Point 3 (MTO EPL 1976) Coal preparation plant access road bridge	Electrical Conductivity	microsiemens per centimetre	Once a month (min. of 4 weeks)	1	1	8650
	pH	pH units	Once a month (min. of 4 weeks)	1	1	7.8
	Total Suspended Solids	milligrams per litre	Once a month (min. of 4 weeks)	1	1	19
W1 – Hunter River / EPL Point 26 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W2 – Hunter River / EPL Point 27 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W3 – Hunter River / EPL Point 28 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value(s)
W5 – Loders Creek / EPL Point 29 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
WW5 – Dights Creek / EPL Point 30 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
SW40 – Wollombi Brook Downstream / EPL Point 31 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
Wollombi Brook / EPL Point 32 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
Wollombi Brook Upstream / EPL Point 33 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-

# - Sample unable to be collected due to insufficient water or unsafe access

### 3.3 Effluent Quality Monitoring

Monitoring is undertaken in accordance with Condition M2.3 of WML EPL 1376 and MTO EPL 1976 as detailed in **Table 5**. Next quarterly sampling will occur in March 2026.

**TABLE 5: EFFLUENT QUALITY MONITORING**

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value
North Pit North Crib Hut Envirocycle / EPL Point 14 (WML EPL 1376)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
Main Warkworth Staging Pond / EPL Point 15 (WML EPL 1376)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
Warkworth Admin Envirocycle / EPL Point 16 (WML EPL 1376)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
West Pit South Crib Hut Envirocycle / EPL Point 17 (WML EPL 1376)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
Warkworth Medical Centre Envirocycle / EPL Point 18 (WML EPL 1376)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
Dam 1S / EPL Point 18 (MTO EPL 1976)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
WML - Workshop STP	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-

#### **4 BLAST MONITORING**

In accordance with the requirements of Conditions M7.1 (WML EPL 1376) and M8.1 (MTO EPL 1976), MTW maintains a network of blast monitors to measure airblast overpressure and ground vibration for all blasts carried out at MTW. Blast monitoring results are detailed in **Table 6** (Airblast Overpressure) and **Table 7** (Ground Vibration). The last date sampled was on 28 February 2026. The data was obtained on 1 March 2026.

**TABLE 6: BLAST MONITORING (AIRBLAST OVERPRESSURE)**

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
w43-skijump-pr1a & w41-bla-ptg7	2/02/2026 12:26	dB(L)	All Blasts 100%	115	120	109.6	102.9	103.0	102.9	106.2
n45-bfb-haircut-pr1	4/02/2026 11:58	dB(L)		115	120	95.2	102.3	91.2	97.6	94.0
n55-rca-pr3	4/02/2026 11:59	dB(L)		115	120	105.9	109.1	98.8	95.0	106.5
n47-gmc-pr3	7/02/2026 11:52	dB(L)		115	120	100.0	101.4	98.2	93.0	101.8
n55-rcc-pr1	9/02/2026 13:24	dB(L)		115	120	106.2	106.2	105.9	99.4	104.6
w44-wbc-ps3b	10/02/2026 12:07	dB(L)		115	120	85.2	105.5	85.2	84.7	88.3
n55-rca-ps1d	11/02/2026 11:56	dB(L)		115	120	99.9	99.4	97.4	86.9	99.6
w43-skijump-pr2 & w45-bla-ptg3	14/02/2026 12:13	dB(L)		115	120	106.8	108.3	106.5	102.4	106.1
w41-bla-endwall-ptg1	16/02/2026 11:54	dB(L)		115	120	96.9	98.8	87.3	104.0	94.1
w56-wyc-ptg1	18/02/2026 12:26	dB(L)		115	120	96.6	92.7	101.0	92.6	96.0
n51-wna-pr4	20/02/2026 13:24	dB(L)		115	120	104.7	103.1	103.7	102.1	100.4
n44-bfb-ps1f	20/02/2026 13:25	dB(L)		115	120	94.9	94.6	97.1	92.1	107.9
w44-wba-pr4 & w44-wbc-ps3	21/02/2026 12:14	dB(L)		115	120	99.5	100.9	112.1	99.5	107.5
n44-bfb-wwa-co1	23/02/2026 12:13	dB(L)		115	120	91.5	96.7	93.7	107.3	87.1

MTW EPL Monitoring Data  
FOR THE MONTH ENDING 28 February 2026

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
w43-skijump-pr3	25/02/2026 11:10	dB(L)		115	120	100.2	103.4	103.9	95.2	98.1
n44-bfb-md6	27/02/2026 11:00	dB(L)		115	120	100.3	101.4	101.1	102.9	99.2
w41-blc-pr2	27/02/2026 12:54	dB(L)		115	120	112.6	102.7	103.4	93.4	102.6
w45-wnd-ptg1	28/02/2026 11:07	dB(L)		115	120	104.8	101.2	103.0	90.3	94.8
<b>Monthly Meaningful Data</b>										
<b>Minimum</b>	<b>February</b>	<b>dB(L)</b>		115	120	85.2	92.7	85.2	84.7	87.1
<b>Mean</b>	<b>February</b>	<b>dB(L)</b>		115	120	100.6	101.7	99.6	96.7	99.7
<b>Maximum</b>	<b>February</b>	<b>dB(L)</b>		115	120	112.6	109.1	112.1	107.3	107.9
<b>Median</b>	<b>February</b>	<b>dB(L)</b>		115	120	100.1	101.9	101.0	96.4	100.0

**TABLE 7: BLAST MONITORING (GROUND VIBRATION)**

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
w43-skijump-pr1a & w41-bla-ptg7	2/02/2026 12:26	mm/s	All Blasts 100%	5	10	1.08	0.90	0.09	0.50	0.74
n45-bfb-haircut-pr1	4/02/2026 11:58	mm/s		5	10	0.54	1.02	0.12	0.50	0.33
n55-rca-pr3	4/02/2026 11:59	mm/s		5	10	0.58	1.02	0.12	0.50	0.35
n47-gmc-pr3	7/02/2026 11:52	mm/s		5	10	0.20	0.28	0.07	0.37	0.28
n55-rcc-pr1	9/02/2026 13:24	mm/s		5	10	1.40	2.53	0.24	1.41	0.98
w44-wbc-ps3b	10/02/2026 12:07	mm/s		5	10	0.71	0.71	0.12	0.60	0.67
n55-rca-ps1d	11/02/2026 11:56	mm/s		5	10	0.79	0.84	0.08	0.25	0.70
w43-skijump-pr2 & w45-bla-ptg3	14/02/2026 12:13	mm/s		5	10	0.54	0.61	0.08	0.51	0.50
w41-bla-endwall-ptg1	16/02/2026 11:54	mm/s		5	10	0.24	0.14	0.06	0.57	0.29
w56-wyc-ptg1	18/02/2026 12:26	mm/s		5	10	0.10	0.09	0.04	0.50	0.15
n51-wna-pr4	20/02/2026 13:24	mm/s		5	10	0.69	0.94	0.16	1.07	0.55
n44-bfb-ps1f	20/02/2026 13:25	mm/s		5	10	0.40	0.73	0.13	1.03	0.35
w44-wba-pr4 & w44-wbc-ps3	21/02/2026 12:14	mm/s		5	10	5.25	1.31	0.15	0.66	2.04
n44-bfb-wwa-co1	23/02/2026 12:13	mm/s		5	10	0.11	0.13	0.05	0.25	0.15

MTW EPL Monitoring Data  
FOR THE MONTH ENDING 28 February 2026

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
w43-skijump-pr3	25/02/2026 11:10	mm/s		5	10	0.77	0.98	0.13	1.04	0.59
n44-bfb-md6	27/02/2026 11:00	mm/s		5	10	1.57	1.73	0.23	1.62	1.27
w41-blc-pr2	27/02/2026 12:54	mm/s		5	10	0.97	0.82	0.08	0.22	0.90
w45-wnd-ptg1	28/02/2026 11:07	mm/s		5	10	0.05	0.07	0.05	0.15	0.14
Monthly Meaningful Data										
<b>Minimum</b>	<b>February</b>	<b>mm/s</b>		5	10	0.05	0.07	0.04	0.15	0.14
<b>Mean</b>	<b>February</b>	<b>mm/s</b>		5	10	0.89	0.83	0.11	0.65	0.61
<b>Maximum</b>	<b>February</b>	<b>mm/s</b>		5	10	5.25	2.53	0.24	1.62	2.04
<b>Median</b>	<b>February</b>	<b>mm/s</b>		5	10	0.64	0.83	0.11	0.51	0.53




Figure 1 : Mount Thorley Warkworth Environmental Monitoring Locations